4. 125 /3 This is a 44 CONTROLLED DOCUMENT

EG&G - ROCKY FLATS PLANT **ENVIRONMENTAL MANAGEMENT**

This is a RED Stamp

ROCKY FLATS PLANT EM RADIOLOGICAL GUIDELINES Manual No.: Procedure No.:

3-21000-OPS-EMRG Table of Contents, Rev 1

Page: **Effective Date:**

1 of 2 01/18/93

Organization:

Environmental Management

TABLE OF CONTENTS EM RADIOLOGICAL GUIDELINES

Guideline No.	Title	Rev. No.	Effective Date
EMRG 1.0	Organization and Responsibilities	0	12/06/91
EMRG 1.1	Gama Radiation Surveys	0	12/06/91
EMRG 1.2	Beta Radiation Surveys	0	12/06/91
*DCN 93.01	Compliance to Health & Safety Practices Manual	0	01/14/93
EMRG 1.3	Posting of Radiation Protection Requirements	0	12/06/91
*DCN 93.01	Compliance to Radiological Protection Program	0	01/14/93
EMRG 2.1	Personnel Contamination Monitoring	0	12/06/91
*DCN 93.01	Compliance to Radiological Control Manual	0	01/14/93
EMRG 2.2	Possible Inhalation Exposure	0	12/06/91
*DCN 93.01 *DCN 93.02 *DCN 93.03 *DCN 93.04	Compliance to Radiological Protection Program	0 0 0	01/14/93 01/14/93 01/14/93 01/14/93
*DCN 93.05	Compliance to Radiological Protection Program	0 0	01/14/93
EMRG 2.3	Wounds and Skin Contamination	0	12/06/91
*DCN 93.01 *DCN 93.02	Table 1 replacement for Internal Dosimetry Evaluation Compliance to Radiological Protection Program	0	01/14/93 01/14/93
EMRG 3.1	Performance of Surface Contamination Surveys	0	12/06/91
*DCN 93.01	Correction to Reference WO-4034	0	01/14/93
EMRG 3.2	Survey Requirements for Conditional and Unrestricted Use	0	12/06/91

DOCUMENT CLASSIFICATION REVIEW WAIVER PER R.B. HOFFMAN, CLASSIFICATION OFFICE JUNE 11, 1991

ROCKY FLATS PLANT EM RADIOLOGICAL GUIDELINES

Manual No.: Procedure No.: Page: 3-21000-OPS-EMRG Table of Contents, Rev 1

Effective Date:

2 of 2 01/18/93

Organization:

Environmental Management

Guideline <u>No.</u>	Title	Rev. <u>No.</u>	Effective <u>Date</u>
EMRG 3.5	Handling of Contaminated Dosimetry/Security Badges	0	12/06/91
*DCN 93.01	Word Correction	0	01/14/93
EMRG 6.1	Performance Test and Operational Checks for Ludlum Model 12-A, Model 12, and Model 31 Survey Instruments	0	12/06/91
EMRG 6.3	Performance Checking and Operation of the Eberline SAC-4 Alpha-Scintillation Smear Counting Instrumentation	0	12/06/91
EMRG 6.4	Performance Testing and Operation of the Eberline BC-4 Beta Smear Counting Instrumentation	0	12/06/91
*DCN 93.01	Formula Clarification	0	01/14/93
EMRG 6.5	Use of the Bicron Frisk-Tech with the A-100 and B-50 Detectors	0	12/06/91
*DCN 93.01	Equipment Calibration Clarification	0	01/14/93
EMRG 6.6	Use of the Bicron Fidler (Field Instrument for the Detection of Low-Energy Radiation)	0	12/06/91
*DCN 93.01	FIDLER Surveys	0	01/15/93
EMRG 9.1	Respiratory Protection Requirements and Posting	0	12/06/91
*DCN 93.01	Revisions to Radiation Protection Program	0	01/15/93
EMRG 10.1	Radiological Deficiency Reporting Program	0	12/06/91

ENVIRONMENTAL MANAGEMENT DOCUMENT CHANGE NOTICE (DCN)

Procedure	Number	DJS 1/14/9	3 <u>- 21000-0</u> F 3	S- EMRG-	3.5, Rev. C			Page 1 of /
Title -EM	RG 3.5 curity	Handling of Badges	of Contamina	ited Dosime	etry/	Date -12/15/92- 	DCN Numb	er 3.01 a/L
Expires	1010	192	Pro	cedure Revisi	ion Required	Yes X No		· · · · · · · · · · · · · · · · · · ·
Scope Lim	itation	Nc	ne			1/14/93		
Item Number	Page	Step or Paragraph	Changes (Use DCN CONTINUATION SHEET for Additional Space)					
1	4 of 4		Change the			"Radiological.		
l						• /	•	
	·		e – Provide Nui		. •	sponding Items Abo		
Concur	rence	Organizat	ion Req	Date	Concurren	ce Organizati	on Req	Date
AL	Urmus	QAPM	X	1/4/93		User	×	
Kure	O.g	Rad Eng	X	12/18/92	D. Sink	U EQS	×	1/14/23
D.M. / Su	1	25\$6		1/5/93				
	of Respo	nsible Manag	er Date	153	Is Posting R	eqd? If Yes, By Wi	nat Date?	Date Posted